

IN THE CLAIMS

Please amend the claims as follows:

- 9/
1. Previously Cancelled
  2. (Previously Amended) The parquet board of claim 13, wherein an entry edge of the top groove cheek is provided with a tapered surface.
  3. (Previously Amended) The parquet board of claim 13, wherein the locking lip has an edge closest to a free end of the tongue and said edge is provided with a tapered or rounded surface.
  4. (Previously Amended) The parquet board of claim 13, wherein the top cheek of the parquet board projects beyond the groove so that when assembled with an adjacent parquet board, the boards come into contact with each other so as to form a useful top surface.
  5. (Currently Amended) The parquet board of claim 13, wherein the tongue is sized such that, when in an assembled position with an adjacent board the tongue does not have a length which completely fills the groove, such that there is a gap between said tongue and an end of the groove.
  6. (Amended) The parquet board of claim 13, wherein when the board is in an assembled position with an adjacent parquet board, there is at least a small gap between an edge of the locking lip and the corresponding edge of the locking recess.
  - 7-9. Previously Cancelled

10. (Previously Amended) The parquet board of claim 13, wherein when the board is in an assembled position with at least one adjacent parquet board, there is at least a small gap between the tapered surfaces on the groove and on the tongue.

11. (Previously Amended) The parquet board of claim 13, wherein the parquet board is shaped as a slim, elongated rectangle, and in that the groove and tongue profile is provided on the opposite longitudinal sides.

12. (Previously Amended) The parquet board of claim 13, wherein there is a tapered surface at an outer end of the tongue, on a bottom side of the tongue.

13. (Currently Amended) A parquet board with a groove and tongue edge profile comprising an upper decorative surface atop a core, a projecting tongue on at least one edge of the each parquet board and a receding groove on at least one other edge of the parquet board, wherein the top edge of the tongue is provided with a projecting locking lip running in the longitudinal direction of the tongue, and a corresponding locking recess is provided running in the longitudinal direction of the groove, the edge of the parquet board defining the groove comprising a top groove cheek and a bottom groove cheek, and said recess is formed in a lower portion of the top groove cheek, said top and said bottom groove cheeks defining an entry for the groove,

the bottom groove cheek being shorter than the top groove cheek,

a gradation is provided on the bottom groove cheek which widens only a portion of the groove and a tapered surface is provided between said widened portion of the groove and the remainder of the groove,

the tongue is provided in its root portion with a section of greater thickness than the remainder of the tongue forming a thicker tongue portion, the thickness in the remaining portion of the tongue being connected to said thicker tongue portion via a linear tapered surface,

AS  
cont

whereby when the locking lip enters a the groove of an adjacent parquet board, the groove  
of the adjacent parquet board having the same shape as the groove of the parquet board, during  
assembly of the parquet board with the an adjacent parquet board, the thicker portion of the  
tongue is not yet engaged in the graduated portion of the groove so that the parquet board having  
the tongue can be displaced slightly downwards to facilitate the passage of the locking lip into  
the groove and the upper surface of one parquet board can be laid jointlessly with an upper  
surface of an adjacent parquet board.

CR

14. (Currently Amended) The parquet board of claim 13, wherein the board further  
comprises a top front end above the projecting tongue, wherein said top end is shaped such that,  
when assembled with an adjacent parquet board having a groove, said top end contacts the top  
cheek of said adjacent board so as to form a useful top surface.

---